ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) 1272/2008 (CLP)

### 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product Name Jangro Chlorine Sanitising Tablets

Trade name BC013 (XCST)

CAS No. n/a EINECS No. n/a

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Very effective against all types of bacteria and some viruses

#### 1.3 Details of the supplier of the safety data sheet

Company Identification Jangro Ltd

Company Address Jangro House, Worsley Road, Farnworth, Bolton, BL4 9LU

 Telephone
 0044 (0) 1204 795955

 Fax
 0044 (0) 1204 576801

 E-Mail (competent person)
 enquiries@jangrohq.net

 Website
 www.jangro.net

1.4 Emergency telephone number

Emergency Phone No. 0044 (0) 1444 244000 (office hours only)

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

2.1 Regulation (EC) No. 1272/2008 (CLP)

Acute Tox.4, H302 - Harmful if swallowed; Eye Irrit.2, H319 Causes ser. eye irritation; STOT SE 3, H335 May cause resp. irritation; Aqua Acute 1, H400 -Very toxic to aquatic life; Aquatic Chronic 1, H410 - Very toxic to aquatic life with long lasting effects. EUH031 - Contact with acids liberates toxic gas.

**2.1** Directive 67/548/EEC & Directive 1999/45/EC

Classification according to Directive 1999/45/EC

Xn;R22. Xi;R36/37. N;R50/53. R31

2.2 Label elements

2.2.1 Label elements

According to Regulation (EC) No 1272/2008 (CLP)

Hazard pictogram(s) Reach





Signal word(s) Reach

Warning

Hazard statement(s) H302 Harmful if swallowed

H319 Causes serious eye irritation H335 May cause respiratory irritation

H410 Very toxic to aquatic life with long lasting effects

EUH031 Contact with acids liberates toxic gas

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray P280 Wear protective gloves/protective clothing/face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE or a

doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) 1272/2008 (CLP)

### B COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Hazardous Ingredient(s):	EINECS No	CAS NUMBER	%W/W	REACH according to Directive 67/548/EEC	CLP according to Regulation EC/1272/2008
Sodium Dichloroisocyanurate	220-767-7	2893-78-9	>30	Xn;R22 Xi;R36/37 N; R50/53 R31	Acute Tox. 4-H302;Eye Irrit. 2 H319; STOT SE 3 - H335; Aqua. Acute 1-H400; Aqua. Chronic 1-H410; EUH031
Adipic acid	204-673-3	124-04-9	15-30	Xi;R36	Serious eye irrit. Cat.2A-H319
Non Hazardous Ingredient(s):	EINECS No	CAS NUMBER	%W/W	SYMBOL	RISK PHRASES

### 4 FIRST AID MEASURES

4.1 Description of first aid measures (Symptoms)

Inhalation Irritation of the respiratory tract.

Skin Contact May cause irritation.

Eye Contact May cause irritation of eyes

Ingestion May cause irritation to the mouth, throat and digestive tract

Additional Information Symptomatic treatment

4.2 Description of first aid measures (Actions)

Inhalation If affected, remove to fresh air, keep warm and at rest.

Obtain medical attention in severe cases.

Skin Contact Wash skin with soap and water. In severe cases obtain medical help.

Eye Contact In case of contact, rinse immediately with plenty of water for at least

10-15 minutes. Obtain medical attention if irritation persists

**Ingestion**: Do not give anything by mouth to an unconscious person.

Wash out mouth with water and give copious amounts of water to drink.

Do not induce vomiting. Obtain medical advice if patient unwell.

Additional Information Always launder contaminated clothing before re-use

## **5** FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media Product not flammable. Use water spray, foam dry powder or CO2 for

surrounding fires.

5.2 Special hazards arising from the

Substance or mixture

Exposure hazards In combustion emits toxic fumes

**5.3** Advice for fire-fighters

Special protective equipment including self-contained respiratory protection equipment for fire fighters

Revision - 2015/1 XCST Page 2 of 7 Date 07/07/2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) 1272/2008 (CLP)

### **6 ACCIDENTAL RELEASE MEASURES**

**6.1** Personal precautions, protective equipment

and emergency procedures

Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without

suitable protective clothing – see section 8 of SDS

**6.2** Environmental precautions Do not discharge into drains or rivers.

**6.3** Methods and material for containment

and cleaning up

Sweep up and return to tub.

If contaminated and is unable to be used it should be disposed of under

local authority regulations.

6.4 Reference to other sections

**6.5** Additional Information Spillages will prove slippery if product gets wet

Wash thoroughly after dealing with a spillage. Inform authorities if large

amounts are involved.

7 HANDLING AND STORAGE

**7.1** Precautions for safe handling Avoid skin and eye contact. Always wear full protective clothing for

prolonged exposure and for high concentrations.

7.2 Conditions for safe storage, including

any incompatibilities

Keep in original containers

**7.3** Suitable packagine Store in original containers.

**7.3** Specific end use(s) Keep tightly closed when not in use

Do not store below 5°C or above 30°C

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control Parameters

Hazardous Ingredients Chlorine

Workplace exposure limits Respirable dust

State	8 hour TWA	15 min STEL	8 hour TWA	15 min Stel
Gas		1.5mg/m3		

#### 8.2 Exposure Controls

Engineering measures Provide adequate general and local exhaust ventilation.

Respiratory Protection Avoid breathing dust. Ensure adequate ventilation when

handling large amounts. In such cases wear suitable respiratory devices

such as EN141 or EN405, type A.

Hand Protection Wear protective gloves (Nitrile or Polyvinyl chloride)

Always wash hands after use.

Eye Protection Wear approved chemical safety goggles

Skin Protection Wear suitable protective overalls

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) 1272/2008 (CLP)

## 9 PHYSICAL AND CHEMICAL PROPERTIES

10

9.1 Information on the basic physical and che	mical properties			
Form:	Tablet			
Odour:	Chlorine			
Colour:	White			
Viscosity:	Not Applicable			
pH (Value):	5-6 Typical (1% solution)			
Density (g/ml):	Not measured			
Boiling Point:	Not Applicable			
Flash Point:	Not Applicable			
Melting Point:	Not measured			
Pour Point (Deg C):	Not measured			
Auto Ignition Temp.	Not measured			
Vapour Pressures:	Not Applicable			
Solubility (water):	Soluble			
Solubility (other):	Not available			
Partition Coefficient:	Not Applicable			
Flammable Limits:	Not Applicable			
Oxidising Props.	Not Applicable			
9.2 Other information				
STABILITY AND REACTIVITY				
10.1 Reactivity	Contact with combustible materials may cause fire			

10.1 Reactivity

Contact with combustible materials may cause fire

10.2 Chemical Stability

Stable under normal conditions

Contact with acids liberates toxic gas

Contact with acids liberates toxic gas

Extremes of temperature and moisture Product contains chlorine releasing products. May cause damage to sensitive surfaces.

10.5 Incompatible materials

Strong oxidising agents. Acids.

Burning produces Oxides of Carbon and Nox as well as hydrogen chloride and/or hydrogen cyanide.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) 1272/2008 (CLP)

## 11 TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

**Toxicity values** 

Toxioity values	_		T	I
Route	Species	Test	Value	Units
No data				
* Results are for 100%	Orange Terpenes	Suppliers data		

Relevant effects for mixture

Effect	Route	Basis
No data		

#### 11.2 Symptoms / Routes of exposure

Skin contact May cause irritation to sensitive skin

Eye Contact May cause eye irritation

Ingestion May cause irritation to the mouth, throat and digestive tract.

May also Cause nausea.

Inhalation Chlorine gas can cause corrosion of mucus membranes. Dust is

irritating to the respiratory tract.

## 12 ECOLOGICAL INFORMATION

#### 12.1 Toxicity

**Eco Toxicity values** 

200 Toxiony values			
Species	Test	Value	Units
No data			

**12.2 Persistence and degradability**NaDCC is highly toxic to fish.

Do not discharge into lakes, ponds, streams or public water.

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other Adverse Effects

No data available

Not known

Does not contain PBT or vPvB substances.

None known

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) 1272/2008 (CLP)

### 13 DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Disposal operations Dispose of in accordance with Local Authority Guidelines and Regulations

Disposal of packaging Dispose of in accordance with Local Authority Guidelines and Regulations

NB: The users attention is drawn to the possible existance of regional or national regulations regarding disposal

## TRANSPORT INFORMATION

**14.1 UN Number** 3077

14.2 UN Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TROCLOSENE

SODIUM)

14.3 Transport hazard class(es) 9

ARD/RID : Class 9 (Miscellaneous dangerous substances and articles)

IMDG : Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (TROCLOSENE

SODIUM)

14.4 Packing Group 3

14.5 Environmental hazards

IATA

Environmental hazardous Yes
Marine pollutant Yes

14.6 Special precautions for user

 EMS
 F-A, S-F

 Emergency action Code
 2Z

 Hazard No. (ADR)
 90

 Tunnel Restriction Code
 €

Proper shipping name

## 15 REGULATORY INFORMATION

This preparation was classified in compliance with the following directions and regulations

Regulation (EC) No 1907/2006 (REACH) and amendments thereof up to and including Regulation (EU) No 453/2010. Regulation (EC) No 1272 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures.

None of the constituent ingredients are listed on the candidatate list of Substances of Very High Concern for Authorization in accordance with Article 59(10) of the REACH Regulation.

other provisions

The regulatory information given above only indicates the principal regulations specifically applicable to the product described in this safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) 1272/2008 (CLP)

## 15 REGULATORY INFORMATION (continued)

15.2 chemical safety assesment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

### 16 OTHER INFORMATION

16.1 Phrases used in Sections 2 and 3

**Hazard Statements** 

Risk phrases

16.2 Other information

H302 Harmful if swallowed

EUH031 Contact with acids liberates toxic gas

H319 Causes serious eye irritaion

H319/H335 May cause serious eye irritation respiratory irritation

H410 Very toxic to aquatic life with long lasting effcts.

R22 Harmful if swallowed

R31 Contact with acids liberates toxic gas

R36 Irritating to eyes

R36/37 Irritating to eyes and respiratory system

R50/53 Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

Tested to the following protocols and passed when used as directed:

EN 1276 (Bacteria), 0.5-1 tablet/L/5 minutes

EN 1276 (Listeria), 1 tablet/L/5 minutes

EN 1040 (Bacteria, clean conditions), 1 tablet/ $\rm 5L/5$  minutes EN1040 (Bacteria, dirty conditions), I tablet/ $\rm L/5$  minutes

EN 1650 (Fungi, dirty conditions), 2 tablets/L/30 minutes

EN 13697 (Bacteria & Fungi), 1 tablet/5L/5 minutes

EN13697 (Yeast), 1.5 tablets/L/15 minutes

EN 13707 (Spores), 1 tablet/L/60 minutes

EN14476 (Virucidal efficacy), 1 tablet/2.3L/15 minutes

Product contains chlorine release agents. May cause damage to sensitive  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 

surfaces.

## Legal disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements & local regulations. This company shall not be held liable for any damage resulting from handling or from contact with the above product.